





























































Nash 6x6




| Pos | Specification-Spezifikation-Specificatie-Nomenclature-Elementi-Especificacion | Qty | Profile (mm) | Lenght (mm) | |
|------|--|----------|--------------|-------------------|----------|
| 001 |  | 1 | 44x68 | 4435 | |
| 002 |  | 1 | 44x68 | 650 | |
| 003 |  | 7 | 44x135 | 4435 | |
| 004 |  | 21 | 44x135 | 650 | |
| 005 |  | 7 | 44x135 | 2235 | |
| 014 |  | 1 | 44x68 | 244 | |
| 015 |  | 1 | 44x68 | 1756 | |
| 016 |  | 12 | 44x135 | 244 | |
| 017 |  | 13 | 44x135 | 1756 | |
| 018 |  | 1 | 44x135 | 344 | |
| 019 |  | 15 | 44x135 | 5950 | |
| 024 |  | 1 | 44x68 | 5950 | |
| 025 |  | 16 | 44x135 | 5950 | |
| 026 |  | 5 | 44x135 | 1200 | |
| 027 |  | 7 | 44x135 | 3200 | |
| 028 |  | 1 | 44x135 | 1390 | |
| 029 |  | 1 | 44x135 | 1580 | |
| 030 |  | 1 | 44x135 | 4406 | |
| 031 |  | 1 | 44x135 | 2304 | |
| 032 |  | 30 | 44x135 | 705 | |
| 033 |  | 1 | 44x135 | 2246 | |
| 034 |  | 2 | 44x135 | 2246 | |
| 035 |  | 1 | 44x64 | 2246 | |
| Kood | | Materjal | | File Nash 6x6.dwg | Leht 1/4 |

| Pos | Specification-Spezifikation-Specificatie-Nomenclature-Elementi-Especificacion | Qty | Profile (mm) | Lenght (mm) |
|--------|--|------|--------------|-------------|
| 036 |  | 3 | 44x135 | 4510 |
| 037 |  | 5 | 44x135 | 800 |
| 038 |  | 1 | 44x135 | 4700 |
| 039 |  | 1 | 44x135 | 4890 |
| 040 |  | 1 | 44x135 | 4406 |
| 041 |  | 1 | 44x135 | 2304 |
| Extra1 |  | 1 | 44x135 | 5950 |
| W1-1 |  | 1 | | |
| W2-1 |  | 1 | | |
| W3-1 |  | 1 | | |
| F1 | FOUNDATION-FUNDAMENT-FONDATION-FONDAZIONE-VIGAS DE CIMENTACIÓN  | 2 | 44x70 | 5740 |
| F3 | FOUNDATION-FUNDAMENT-FONDATION-FONDAZIONE-VIGAS DE CIMENTACIÓN  | 15 | 44x70 | 5652 |
| F2 | FOUNDATION-FUNDAMENT-FONDATION-FONDAZIONE-VIGAS DE CIMENTACIÓN  | 2 | 44x70 | 466 |
| PL1 | PURLIN-DAKBALK-DACHPFETTE-PANNE-ARCARECCIO-CORREA  | 4 | 44x144 | 4478 |
| PL3 | PURLIN-DAKBALK-DACHPFETTE-PANNE-ARCARECCIO-CORREA  | 1 | 44x144 | 4478 |
| PL2 | PURLIN-DAKBALK-DACHPFETTE-PANNE-ARCARECCIO-CORREA  | 4 | 44x144 | 2376 |
| PL4 | PURLIN-DAKBALK-DACHPFETTE-PANNE-ARCARECCIO-CORREA  | 1 | 44x144 | 2376 |
| Kood | Materjal | File | Nash 6x6.dwg | Leht 2/4 |



| Pos | Specification-Spezifikation-Specificatie-Nomenclature-Elementi-Especificacion | Qty | Profile (mm) | Lenght (mm) |
|--------|---|------|--------------|-------------|
| F-1 | Floor board-Fussbodenbrett-Vloerplank-Lame de plancher-Tavola pavimento-Tabla de suelo  | 48+1 | 88x18 | 5652 |
| | | 38+1 | 114x18 | |
| F-2 | Floor board-Fussbodenbrett-Vloerplank-Lame de plancher-Tavola pavimento-Tabla de suelo  | 17 | 88x18 | 3650 |
| | | 14 | 114x18 | |
| F-3 | Floor board-Fussbodenbrett-Vloerplank-Lame de plancher-Tavola pavimento-Tabla de suelo  | 17 | 88x18 | 1948 |
| | | 14 | 114x18 | |
| R-1 | Roof board-Dachbrett-Dakplank-Volige-Tavola tetto-Tabla de tejado  | 154 | 88x18 | 3325 |
| | | 118 | 114x18 | |
| FLB-1 | Floor beading 2000-Fussbodenleiste-Plinten-Moulure de finition-Listello pavimento-Liston de suelo  | 14 | 18x40 | 28rmt. |
| GB-1 | Gable board 95-Giebelblende-Gevelplank-Planche de rive-Tavola di bordo-Tabla de borde  | 4 | 18x95 | 3355 |
| GB-1 | Gable board 120-Giebelblende-Gevelplank-Planche de rive-Tavola di bordo-Tabla de borde  | 4 | 18x120 | 3365 |
| RL-1 | Roofing lath 2000-Giebelleiste-Gevellijst-Latte de rive-Listello di bordo-Listones de borde  | 15 | 18x40 | 30rmt. |
| SS-1 | Storm slat kit-Sturmleiste satz-Stormanker set-Kit de latte anti tempête-Kit listello di tempesta-Kit liston anti tormenta  | 4 | 18x40 | 2000 |
| D | Diamond  | 2 | | |
| | Door kit-Tür satz-Deur set-Kit porte-Kit porta-Kit para puerta  | 1 | | |
| | Nail 1.6x30-Nagel-Spijker-Clou-Chiodo-Clavo  | 35 | 1.6x30 | |
| | Nail 1.8x40-Nagel-Spijker-Clou-Chiodo-Clavo  | 1550 | 1.8x40 | |
| S4x60 | Screw 4x60-Schraube-Schroef-Vis-Vite-Tornillo  | 60 | 4x60 | |
| S6x120 | Screw 6x120-Schraube-Schroef-Vis-Vite-Tornillo  | 50 | 6x120 | |
| | Window handle set-Fenstergriff-Raamgreep-Ferrure de fenêtre-Ferramenta finestra-Manilla ventana  | 5 | | |
| | WINDOW 1540x900 DW0-6DK 1540x900-44 ISO  | 2 | | |
| | WINDOW 630x630 W0-4DK 630x630-44 R ISO  | 1 | | |
| Kood | Materjal | File | Nash 6x6.dwg | Leht 3/4 |




| | |
|-----------|--------------|
| 0 100 200 | |
| Model | Nash 6x6 |
| Client | |
| Material | 4,4x135 |
| Company | |
| Page | PLAN |
| Scale | 1:40 |
| Date | 25.09.2025 |
| File | Nash 6x6.dwg |




| | | | |
|----------|----------|-------|--------------|
| Model | Nash 6x6 | Page | ROOF |
| Client | | Scale | 1:40 |
| Material | 44x135 | Date | 25.09.2025 |
| Company | | File | Nash 6x6.dwg |



| | | | |
|----------|----------|-------|--------------|
| Model | Nash 6x6 | Page | FOUNDATION |
| Client | | Scale | 1:40 |
| Material | 44x135 | Date | 25.09.2025 |
| Company | | File | Nash 6x6.dwg |





| | | | |
|----------|----------|-------|--------------|
| Model | Nash 6x6 | Page | 4 |
| Client | | Scale | 1:40 |
| Material | 4.4x13.5 | Date | 25.09.2025 |
| Company | | File | Nash 6x6.dwg |



WALL C ↑




| | | | |
|----------|----------|-------|--------------|
| Model | Nash 6x6 | Page | 5 |
| Client | | Scale | 1:40 |
| Material | 4.4x13.5 | Date | 25.09.2025 |
| Company | | File | Nash 6x6.dwg |




0 0.5m 1.0m 2.0m






| | | | |
|----------|----------|-------|--------------|
| Model | Nash 6x6 | Page | 6 |
| Client | | Scale | 1:40 |
| Material | 4.4x13.5 | Date | 25.09.2025 |
| Company | | File | Nash 6x6.dwg |



| | | | |
|----------|----------|-------|--------------|
| Model | Nash 6x6 | Page | 7 |
| Client | | Scale | 1:40 |
| Material | 4.4x13.5 | Date | 25.09.2025 |
| Company | | File | Nash 6x6.dwg |



| | | | |
|----------|----------|-------|--------------|
| Model | Nash 6x6 | Page | 8 |
| Client | | Scale | 1:40 |
| Material | 4.4x13.5 | Date | 25.09.2025 |
| Company | | File | Nash 6x6.dwg |





FR

DSR

GR

HR


SR



ADJUSTABLE HINGES


3.

TYPE-A
5x90




OPTIONS



1. 2.




4.



1.





TYPE-B
4x60




5.

OPTIONS

Ø4mm



FR




+€

NB!

TYPE-A
5x70


OPTIONS



SB1


OPTIONS

2.




The guide is illustrative. This guide is not project specification.
Der Leitfaden ist illustrativ. Dieser Leitfaden ist keine Projektspezifikation.
De gids is illustratief. Deze gids is geen projectspecificatie.

5.







DSR

5.




GR

OPTIONS




NB!




HR

5.



OPTIONS-STORM BRACES



5.



SR

Öffnung/Opening

A



B

